

RHINO BULLETS SOLID SHANK RETAIL PRICES 2016						
		RETAIL	RETAIL	SD	BC	
		EXCL.	INCL.			
100 PER BOX						
224/40GR.		R 442.02	R 503.90	0.114	0.187	.224/40GR. = 13.36MM.
224/45GR.		R 444.61	R 506.85	0.128	0.210	.224/50GR. = 14.82MM.
224/50GR.		R 447.19	R 509.80	0.124	0.233	.224/50GR. = 16.55MM.
224/55GR.		R 449.78	R 512.75	0.157	0.256	224/55GR. = 17.7MM
224/60GR.		R 452.41	R 515.75	0.224	0.281	.224/60GR. = 18.67MM.
50 PER BOX						
243/75GR.		R 423.55	R 482.85	0.181	0.297	.243/75GR. = 20.69MM.
243/85GR.		R 424.61	R 484.05	0.206	0.338	.243/85GR. = 22.30MM.
243/95GR.		R 426.62	R 486.35	0.230	0.378	.243/95GR. = 24.71MM.
243/100GR.		R 428.64	R 488.65	0.242	0.397	.243/100GR. = 26.42MM.
2506/100GR.		R 435.79	R 496.80	0.216	0.355	2506/100GR. = 24.57MM.
2506/110GR.		R 439.78	R 501.35	0.238	0.391	2506/110GR. = 25.86MM.
2506/117GR.		R 443.95	R 506.10	0.253	0.415	2506/117GR. = 27.87MM.
6,5/120GR.		R 443.86	R 506.00	0.247	0.414	6.5MM/120GR. = 28.04MM.
6,5/140GR.		R 448.03	R 510.75	0.289	0.471	6.5MM/140GR. = 31.74MM.
6,5/150GR.		R 451.97	R 515.25	0.307	0.504	6.5MM/150GR. = 33.75MM.
270/130GR.		R 436.49	R 497.60	0.242	0.397	.270/130GR. = 27.81MM.
270/140GR.		R 439.57	R 501.10	0.261	0.427	.270/140GR. = 28.64MM.
270/150GR.		R 444.61	R 506.85	0.279	0.458	.270/150GR. = 30.96MM.
270/160GR.		R 448.68	R 511.50	0.289	0.489	.270/160GR. = 33.61MM.
7MM/140GR.		R 448.68	R 511.50	0.248	0.407	7MM/140GR. = 29.47MM.
7MM/150GR.		R 452.72	R 516.10	0.266	0.437	7MM/150GR. = 29.84MM.
7MM/160GR.		R 456.80	R 520.75	0.284	0.465	7MM/160GR. = 31.82MM.
7MM/170GR.		R 460.79	R 525.30	0.301	0.494	7MM/170GR. = 33.98MM.
308/150GR.		R 460.79	R 525.30	0.226	0.371	.308/150GR. 25.49MM.
308/165GR.		R 462.89	R 527.70	0.248	0.407	.308/165GR. = 28.44MM.
308/180GR.		R 464.12	R 529.10	0.271	0.445	.308/180GR. = 30.39MM.
308/200GR.		R 466.93	R 532.30	0.301	0.494	.308/200GR. = 33.09MM.
308/220GR.		R 468.95	R 534.60	0.331	0.554	.308/220GR. = 36.69MM.
303/150GR.		R 462.89	R 527.70	0.221	0.363	.303/150GR. = 26MM.
303/175GR.		R 464.91	R 530.00	0.258	0.424	.303/175GR. = 29.74MM.
303/200gr.		R 466.93	R 532.30	0.295	0.484	.303/200GR. = 33.25MM.
303/215GR		R 468.95	R 534.60	0.318	0.512	.303/215GR. = 34.91MM.

25 PER BOX					
8MM/165GR.	R 381.45	R 434.85	0.226	0.371	8MM/165GR. = 25.39MM.
8MM/200GR.	R 391.45	R 446.25	0.274	0.450	8MM./200GR. = 29.53MM.
338/210GR.	R 401.54	R 457.75	0.294		.338/210GR. = 30.24MM.
338/250GR.	R 403.51	R 460.00	0.313	0.512	.338/250GR. = 34.88MM.
338/280GR.	R 409.65	R 467.00	0.350	0.575	.338/280GR. = 38.29MM.
358/200GR.	R 399.52	R 455.45	0.224	0.368	.358/200GR. = 26.75MM.
358/250GR.	R 403.51	R 460.00	0.279	0.460	.358/250GR. = 32.14MM.
9,3MM/235GR.	R 399.52	R 455.45	0.251	0.411	9,3MM./235GR. = 28.54MM.
9,3MM/250GR.	R 403.51	R 460.00	0.267	0.437	9,3MM./250GR. = 29.96MM.
9,3MM/286GR.	R 407.64	R 464.70	0.305	0.501	9,3MM./286GR. = 34MM.
9,3MM/300GR.	R 411.67	R 469.30	0.320	0.320	9,3MM./300GR. = 34.94MM.
375/235GR.	R 411.67	R 469.30	0.239	0.392	.375/235GR. =27.86MM.
375/250GR.	R 415.79	R 474.00	0.254	0.417	.375/ 250GR. = 28.88MM.
375/270GR.	R 419.78	R 478.55	0.274	0.450	.375/ 270GR. =31.11MM.
375/300GR.	R 423.95	R 483.30	0.305	0.501	.375/300GR. = 34.11MM.
375/340GR.	R 427.85	R 487.75	0.345	0.302	.375/340GR. = 37.02MM.
375/350GR.	R 431.97	R 492.45	0.356	0.355	.375/350GR. = 38.67MM.
375/380GR.	R 435.00	R 495.90	0.386	0.386	.375/ 380GR. = 40.92MM.
20 PER BOX					
45-70/360GR	R 407.81	R 464.90	0.249	0.248	45-70/360GR. = 26.02MM.
416/350GR.	R 433.73	R 494.45	0.289	0.245	.416/350GR. = 31.44MM.
416/400GR.	R 436.75	R 497.90	0.330	0.475	.416/400GR. = 35.65MM.
416/430GR.	R 440.83	R 502.55	0.355	0.330	.416/430GR. = 37.95MM.
404/400GR.	R 436.84	R 498.00	0.319	0.319	.404/ 400GR. = 34.18MM.
425/400GR.	R 436.84	R 498.00	0.302	0.303	.425/400GR. = 32.68MM.
458/360GR.	R 436.84	R 498.00	0.245	0.245	.458/360GR. = 27.06MM
458/425GR. SPITZER	R 441.58	R 503.40	0.289	0.475	.458/425GR. = 32.10MM.
458/485GR.	R 444.82	R 507.10	0.330	0.330	.458/485GR. = 35.67MM.
458/500GR.	R 452.63	R 516.00	0.341	0.340	.458/500GR. = 36.34MM.
458/550GR.	R 455.00	R 518.70	0.375	0.374	.458/550GR. = 39.37MM.
470/500GR.	R 462.32	R 527.05	0.317	0.318	.470/500GR. = 34.65MM.
505GIBBS./525GR.	R 471.36	R 537.35	0.294	0.294	505/525GR. = 34.98MM.
510JEFF/540GR.	R 476.58	R 543.30	0.288	0.288	.510/540GR. = 34.81MM.
510/570GR	R 489.56	R 558.10	0.313	0.313	.510/570GR. = 37.39MM.
					.444/255GR. = 21.02MM.

RELOADING FOR RHINO BULLETS:

1. Bullets must have jump to rifle land of at least 1 to 2mm
2. Use standard Somchem reloading tables (not Barnes tables)
3. Start at starting load and work up your loads keeping a careful watch for signs of pressure.
4. If the specific bullet weight is not in the reloading tables you do the following:
 - a) For every 10grs the bullets is heavier than the bullet in the reloading book you drop your minimum load by 1gr
 - b) If the bullet is lighter than the loads given in the reloading book, you increase your minimum load by 1gr

It is important that you watch for signs of excessive pressure.

We do not give a maximum load as each rifles maximum load differs depending how tight the barrel is.

5. The powder you choose should fill your case at least 80%.

CONTACT: KOBUS WORK / Af-043 7361822
 CELL 082 374 6440
 FAX 0866 724 061
 EMAIL rhbullet@mweb.co.za

PAYMENTS RHINO BULLETS

ABSA BANK
ACC NO 4051422106
BRANCH CODE 632005

1. IN PENETRATOR ANY CALIBER AND WEIGHT CAN BE ORDERED
SPECIAL ORDERS MUST BE FOR 150 BULLETS OR MORE.
2. 10% DISCOUNT ON ORDERS OVER R2000.00